

ARTICLE 5 – CONTRACT PRICE

- 5.01 Owner shall pay Contractor for completion of the Work in accordance with the Contract Documents an amount in current funds equal to the sum of the amounts determined in the bid documents:
- For all Work other than Unit Price Work, a lump sum of: \$ N/A
All specific cash allowances are included in the above price.
 - For all Unit Price Work, an amount equal to the sum of the established unit price for each
 - For all Work, at the prices stated in Contractor's Bid, attached hereto as an exhibit.

ITEM #	DESCRIPTION	UNIT	QUANTITY	Unit Price	Extended Price
1	Mobilization	LS	23		
2	Traffic Control	LS	23		
3	Cement Modified Recycled Base (8" Uniform) Method 2	SY	41680		
4	Cement Modified Recycled Base (8" Uniform) Method 4	SY	20776		
5	Portland Cement for Cement Modified Recycled Base (65lbs)	TON	2076		
6	Maintenance Stone	TON	105		
7	HMA Surface Course Type E (liquid included) 75LBS/SY	SY	10248		
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	149212		
9	HMA Surface Course Type C (liquid included) 175 LBS/SY	SY	10248		
10	Permanent Construction Signs (Ground Mounted) Scheme E	SF	1512		
11	Permanent Construction Signs (Ground Mounted) Scheme C	SF	532		
12	Permanent Vegetation	MSY	61.8		
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	1046		
14	4" White Solid Lines (Pavement Edge Lines) Fast Dry Paint	LF	55762		
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	1135		
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	86016		
17	4" White Solid Lines (Pavement Edge Lines) Thermoplastic-90 mil	LF	55762		
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	86016		
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	1125		
20	Full Depth HMA Patching 6" uniform	SY	1800		
21	Surface Applied Detectable Warning	SF	152		
22	Pedestrian Ramp Construction	SY	173		
23	Saw Cut Loop Detector	LF	150		
23	Furnish and Install #14 Copper Wire, 1 Conductor for Loop Wire	LF	150		
25	Mill Existing Asphalt Pavement (variable depth)	SY	8690		
26	Milled In Rumble Strips	MILE	0.75		
27	8" Solid white Lines (Crosswalk) Fast Dry Paint	LF	60		
28	8" Solid white Lines (Crosswalk) Thermoplastic 125 mil	LF	60		
GRAND TOTAL					

ITEM #	DESCRIPTION	UNIT	QUANTITY	Unit Price	Extended Price
1	Mobilization	LS	23		
2	Traffic Control	LS	23		
3	Cement Modified Recycled Base (8" Uniform) Method 2	SY	41680		
4	Cement Modified Recycled Base (8" Uniform) Method 4	SY	20776		
5	Portland Cement for Cement Modified Recycled Base (65lbs)	TON	2076		
6	Maintenance Stone	TON	105		
7	HMA Surface Course Type E (liquid included) 75LBS/SY	SY	10248		
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	149212		
9	HMA Surface Course Type C (liquid included) 175 LBS/SY	SY	10248		
10	Permanent Construction Signs (Ground Mounted) Scheme E	SF	1512		
11	Permanent Construction Signs (Ground Mounted) Scheme C	SF	532		
12	Permanent Vegetation	MSY	61.8		
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	1046		
14	4" White Solid Lines (Pavement Edge Lines) Fast Dry Paint	LF	55762		
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	1135		
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	86016		
17	4" White Solid Lines (Pavement Edge Lines) Thermoplastic-90 mil	LF	55762		
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	86016		
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	1125		
20	Full Depth HMA Patching 6" uniform	SY	1800		
21	Surface Applied Detectable Warning	SF	152		
22	Pedestrian Ramp Construction	SY	173		
23	Saw Cut Loop Detector	LF	150		
23	Furnish and Install #14 Copper Wire, 1 Conductor for Loop Wire	LF	150		
25	Mill Existing Asphalt Pavement (variable depth)	SY	8690		
26	Milled In Rumble Strips	MILE	0.75		
27	8" Solid white Lines (Crosswalk) Fast Dry Paint	LF	60		
28	8" Solid white Lines (Crosswalk) Thermoplastic 125 mil	LF	60		
			GRAND TOTAL		

QUANTITY TOTAL FOR ALL ROADS

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	23
2	Traffic Control	LS	23
3	Cement Modified Recycled Base (8" Uniform) Method 2	SY	41680
4	Cement Modified Recycled Base (8" Uniform) Method 4	SY	20776
5	Portland Cement for Cement Modified Recycled Base (65lbs)	TON	2076
6	Maintenance Stone	TON	105
7	HMA Surface Course Type E (liquid included) 75LBS/SY	SY	10248
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	149212
9	HMA Surface Course Type C (liquid included) 175 LBS/SY	SY	10248
10	Permanent Construction Signs (Ground Mounted) Scheme E	SF	1512
11	Permanent Construction Signs (Ground Mounted) Scheme C	SF	532
12	Permanent Vegetation	MSY	61.8
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	1046
14	4" White Solid Lines (Pavement Edge Lines) Fast Dry Paint	LF	55762
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	1135
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	86016
17	4" White Solid Lines (Pavement Edge Lines) Thermoplastic-90 mil	LF	55762
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	86016
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	1125
20	Full Depth HMA Patching 6" uniform	SY	1800
21	Surface Applied Detectable Warning	SF	152
22	Pedestrian Ramp Construction	SY	173
23	Saw Cut Loop Detector	LF	150
23	Furnish and Install #14 Copper Wire, 1 Conductor for Loop Wire	LF	150
25	Mill Existing Asphalt Pavement (variable depth)	SY	8690
26	Milled In Rumble Strips	MILE	0.75
27	8" Solid white Lines (Crosswalk) Fast Dry Paint	LF	60
27	8" Solid white Lines (Crosswalk) Fast Dry Paint	LF	60

Road Name: Pine Grove Church Road S-14-354
Start: Morgan Street
Stop: Main Street
Road Length in feet: 212
Width in feet: 20
Miles: 0.04

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
6	Maintenance Stone	TON	5
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	471
12	Permanent Vegetation	MSY	0.2
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	20
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	20
21	Surface Applied Detectable Warning	SF	20
22	Pedestrian Ramp Construction	SY	20

Road Name: Smith Street S-14-114
Start: Calvert Street
Stop: Morris Street
Road Length in feet: 2472
Width in feet: 20
Miles: 0.4681

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	5853
12	Permanent Vegetation	MSY	3.1
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	50
14	4" White Solid Lines (Pavement Edge Lines) Fast Dry Paint	LF	4944
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	120
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	4944
17	4" White Solid Lines (Pavement Edge Lines) Thermoplastic-90 mil	LF	4944
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	4944
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	120
20	Full Depth HMA Patching 6" uniform	SY	100

Road Name: Calvert Street S-14-119
Start: US 378 Main Street
Stop: U S 378 Clearance Coker Highway
Road Length in feet: 1953
Width in feet: 26
Miles: 0.37

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	8504
12	Permanent Vegetation	MSY	4.3
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	71
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	100
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	7078
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	7078
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	100
20	Full Depth HMA Patching 6" uniform	SY	200
27	8" Solid white Lines (Crosswalk) Fast Dry Paint	LF	60
28	8" Solid white Lines (Crosswalk) Thermoplastic 125 mil	LF	60

Road Name: Dennis Street S-14-544
Start: Pope Street
Stop: Dead End
Road Length in feet: 285
Width in feet: 26 VG
Miles: 0.054

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	823
12	Permanent Vegetation	MSY	0.4
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	10
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	10

Road Name: Caldwell Street S-14-66/Windham street S-14-229
Start: S Dukes Street
Stop: Main Street
Road Length in feet: 2175
Width in feet: 26
Miles: 0.412

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
4	Cement Modified Recycled Base (8" Uniform) Method 4	SY	6283
5	Portland Cement for Cement Modified Recycled Base (65lbs)	TON	204
6	Maintenance Stone	TON	5
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	6383
10	Permanent Construction Signs (Ground Mounted) Scheme E	SF	168
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	44
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	76
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	4350
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	4350
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	76
21	Surface Applied Detectable Warning	SF	22
22	Pedestrian Ramp Construction	SY	35

Road Name: Burgess Street S-14-31
Start: S Dukes St
Stop: Church Street
Road Length in feet: 1089
Width in feet: 26
Miles: 0.206

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	3146
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	22
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	36
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	36
20	Full Depth HMA Patching 6" uniform	SY	100
21	Surface Applied Detectable Warning	SF	24
22	Pedestrian Ramp Construction	SY	32
25	Mill Existing Asphalt Pavement (variable depth)	SY	3146

Road Name: Hill Street S-14-272
Start: Larry King Highway
Stop: Delaine Street
Road Length in feet: 478
Width in feet: 24 VG
Miles: 0.089

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	1274
12	Permanent Vegetation	MSY	0.6
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	20
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	20

Road Name: Kolb Street S-14-365
Start: US 15
Stop: Mclead Street
Road Length in feet: 593
Width in feet: 20
Miles: 0.112

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	1539
12	Permanent Vegetation	MSY	0.8
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	20
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	1186
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	1186
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	20
20	Full Depth HMA Patching 6" uniform	SY	100

Road Name: Pack Street S-14-157
Start: Broadway Street
Stop: McLead Street
Road Length in feet: 625
Width in feet: 21 VG
Miles: 0.118

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	1708
12	Permanent Vegetation	MSY	0.8

Road Name: Broadway Street S-14-156
Start: SC 261
Stop: Pack St
Road Length in feet: 453
Width in feet: 22 VG
Miles: 0.086

ITEM #	DESCRIPTION	UNIT	QUANTITY
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	1161
12	Permanent Vegetation	MSY	0.6
20	Full Depth HMA Patching 6" uniform	SY	100

Road Name: Keith Street S-14-70
Start: Boundary Street
Stop: Church Street
Road Length in feet: 1272
Width in feet: 35 to 51 VG
Miles: 0.24

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	5544
*	Permanent Construction Signs (Ground Mounted) Scheme E	SF	192
12	Permanent Vegetation	MSY	0.6
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	26
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	40
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	40
20	Full Depth HMA Patching 6" uniform	SY	100
21	Surface Applied Detectable Warning	SF	30
22	Pedestrian Ramp Construction	SY	30
25	Mill Existing Asphalt Pavement (variable depth)	SY	5544

Road Name: Water's Edge Drive S-14-376
Start: Dead End
Stop: Dead End
Road Length in feet: 5338
Width in feet: 24 VG

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	14234
10	Permanent Construction Signs (Ground Mounted) Scheme E	SF	24
12	Permanent Vegetation	MSY	6.5
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	107
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	10
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	10
20	Full Depth HMA Patching 6" uniform	SY	200

Road Name: Ralph Bell Road S-14-467
Start: Wash Davis Road
Stop: End State Maintenance
Road Length in feet: 4229
Width in feet: 20
Miles: 0.801

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
3	Cement Modified Recycled Base (8" Uniform) Method 2	SY	9867
5	Portland Cement for Cement Modified Recycled Base (65lbs)	TON	320
6	Maintenance Stone	TON	25
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	10118
10	Permanent Construction Signs (Ground Mounted) Scheme E	SF	72
12	Permanent Vegetation	MSY	5.2
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	85
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	40
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	40

Road Name: Collins Drive S-14-254
Start: West Boyce Street
Stop: West Huggins Street
Road Length in feet: 2120
Width in feet: 26 VG
Miles: 0.401

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
3	Cement Modified Recycled Base (8" Uniform) Method 2	SY	6124
5	Portland Cement for Cement Modified Recycled Base (65lbs)	TON	160
6	Maintenance Stone	TON	10
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	6464
10	Permanent Construction Signs (Ground Mounted) Scheme E	SF	216
12	Permanent Vegetation	MSY	2.6
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	43
21	Surface Applied Detectable Warning	SF	40
22	Pedestrian Ramp Construction	SY	40

Road Name: Lawson Street S-14-496
Start: Spann Street
Stop: Cul-de-sac
Road Length in feet: 1153
Width in feet: 20
Miles: 0.218

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	2962
12	Permanent Vegetation	MSY	1.4
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	22
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	22
20	Full Depth HMA Patching 6" uniform	SY	100

Road Name: Players Course Drive S-14-797
Start: Lakeshore Drive
Stop: White Oak Drive
Road Length in feet: 12007
Width in feet: 22
Miles: 2.274

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	29830
10	Permanent Construction Signs (Ground Mounted) Scheme E	SF	120
12	Permanent Vegetation	MSY	14.7
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	240
14	4" White Solid Lines (Pavement Edge Lines) Fast Dry Paint	LF	24014
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	22
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	24014
17	4" White Solid Lines (Pavement Edge Lines) Thermoplastic-90 mil	LF	24014
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	24014
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	22
20	Full Depth HMA Patching 6" uniform	SY	500

Road Name: Rudy Road S-14-335
Start: U S 301
Stop: Gibbons Road
Road Length in feet: 1991
Width in feet: 20
Miles: 0.378

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	4784
12	Permanent Vegetation	MSY	2.4
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	41
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	90
16	4" Yellow Solid Line (No Passing Zone) Fast Dry Paint	LF	3982
18	4" Yellow Solid Line (No Passing Zone) Thermoplastic-90 mil	LF	3982
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	90

Road Name: Buckhorn Road S-14-645
Start: Raccoon Road
Stop: Road Ends Sign
Road Length in feet: 1399
Width in feet: 26 VG
Miles: 0.254

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	4041
12	Permanent Vegetation	MSY	1.7
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	29
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	10
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	10

Road Name: Pebble Lane S-14-646
Start: Buckhead Drive
Stop: Cul-de-sac
Road Length in feet: 534
Width in feet: 26 VG

ITEM #	DESCRIPTION	UNIT	QUANTITY
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	1622
12	Permanent Vegetation	MSY	0.7
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	10
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	10

Road Name: Frances Lane S-14-647
Start: Bulkhead Drive
Stop: Cul-de-sac
Road Length in feet: 355
Width in feet: 26 VG
Miles: 0.067

ITEM #	DESCRIPTION	UNIT	QUANTITY
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	1045
12	Permanent Vegetation	MSY	0.5
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	10
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	10

Road Name: Alfred Henry Street S-14-334
Start: Sunset Drive
Stop: Huggins St
Road Length in feet: 1905
Width in feet: 600-35 vg 1285 -20
Miles: 0.361

ITEM #	DESCRIPTION	UNIT	QUANTITY
1	Mobilization	LS	1
2	Traffic Control	LS	1
6	Maintenance Stone	TON	10
8	HMA Surface Course Type C (liquid included) 2" Uniform	SY	5988
12	Permanent Vegetation	MSY	2.3
13	Permanent Yellow Markers Bi-Dir-4"x4"	EA	39
15	24" White Solid Lines (Stop) Fast Dry Paint	LF	40
19	24" White Solid Lines (Stop) Thermoplastic-125 mil	LF	40
20	Full Depth HMA Patching 6" uniform	SY	300